

### **Table of Contents**









Numbering System3
<b>Highlight</b> Kitchen and Lavatory6
Highlight Tub & Shower7
Angelic Kitchen, Bar and Lavatory10
Angelic Tub & Shower11
Angelic Roman Tub12
Leverage Kitchen Ceramic14
<b>Leverage</b> Kitchen and Bar Ceramic15
Leverage Lavatory Ceramic
Leverage Tub & Shower Ceramic17
<b>Leverage</b> Kitchen and Bar Washerless18
<b>Leverage</b> Lavatory Washerless
Leverage Tub & Shower Washerless 20


<b>Builder</b> Kitchen and Pot Fillers22
Builder Lavatory23
<b>Builder</b> Tub & Shower24
<b>Builder</b> Rough-In Valves and Roman Tub25
Classic Lavatory and Laundry28
Value Lavatory30
Value Tub & Shower31
<b>Hand Showers</b> 32
Quality Statement33
Warranty 33



## Numbering System



Leverage, Single Handle Kitchen Faucet, Chrome



	i ducet Series							
<b>Highlight</b> Designation: <b>GLH</b>		gelic ion: GLA	<b>Leverage</b> Designation: <b>GLL</b>		uilder nation: GLB	<b>Classic</b> Designation: <b>G</b>	LC	<b>Value</b> Designation: <b>GLV</b>
				Kitchen				

				Kitchen					
100 Series Single Handle Kitchens	100/105 Metal Handle / Less Spray	130/135 Metal Handle Spray On Deck	140/145 Metal Hand Spray Off D	<b>150</b> Pull-Out	<b>151</b> Pull-Down	<b>153</b> Pull-	Out	<b>155</b> Culinary Faucet	<b>190</b> Pot Filler
200 Series Two Handle Kitchens	200/205 Metal Handles Less Spray	<b>202</b> Acrylic Har Less Spray	idles	 <b>245</b> I Handles Spray	242 Acrylic Handles With Spray		<b>250</b> Metal Hand Less Spray	les	 l Handles Spray

		Specialty Faucets	
<b>300 Series</b> Bar, Laundry, Wallmount	320/325 Bar Faucet / Three Hole / Metal Handles	380 & 386 Laundry Faucet	<b>308, 312</b> Wallmount Kitchen

	Lavatory						
<b>400 Series*</b> Two Handle Lavatory	400/405 4" Centerset / Metal Handles	<b>402</b> 4" Centerset / Acryli	ic Handles	<b>420</b> 4" Centerset / High Arc Spout	<b>480</b> Widespread / Metal Handles		
<b>500 Series</b> Single Handle Lavatory	500/505 4" Centerset / Single Hole /Mi	etal Handle	<b>502</b> 4" Centerset	: / Single Hole /Acrylic Handle	550 4" Centerset/1 or 3 hole Mount/ 50/50 Push Pop-Up		

	Hand Shower
600 Series	600
Hand Shower	72" Hose / 24" Metal Slide Bar

	* Pressure Balanced Valve ** Conventional — Non Pressure Balanced Valve						
700 Series* Single Handle Tub & Shower	<b>700/705</b> Valve Only Metal Handle	<b>720/725</b> Shower Only Metal Handle	<b>730/735</b> Tub & Shower Metal Handle	SR-799 Universal Pressure Balancing Valve			
700 Series** Single Handle Tub & Shower	770 Tub & Shower / Metal Handle	:	<b>772</b> Tub & Shower / Acrylic Handle				
800 Series** Two Handle Tub & Shower	<b>820</b> Shower Only Metal Handles	<b>822</b> Shower Only Acrylic Handles	830 Tub & Shower Metal Handles	<b>832</b> Tub & Shower Acrylic Handles			
800 Series** Three Handle Tub & Shower	<b>870</b> Tub & Shower / Metal Handle	es	<b>872</b> Tub & Shower / Acrylic Handles				

	Roman Tubs					
900 Series	900	999				
Two Handle	3 Hole	Universal 3 Hole				
Roman Tub	Metal Handles	Rough-In Valve				

Finish Designations
C = Chrome
BN = Brushed Nickel
MB = Matte Black
ORB = Oil Rubbed Bronze
SS = Stainless Steel
RB = Rough Brass

Feature Designations						
A = Hose Adapter	G = Gerber Style	L = Less Pop-Up				
B = Wrist Blade Handles	GD = Grid Drain	P = Plastic Push Pop-Up				
D = Decorative	H = Heavy Duty	W = Washerless				
F = 50/50 Push Pop-Up	JP = Job Pack	WS = With Stop				



# Notes



# Highlight



# Highlight Kitchen and Lavatory

Our Highlight family radiates contemporary design with its strong and bold lines. Highlight faucets are EPA WaterSense® certified and California Energy Commission compliant where applicable. This family boasts ceramic valves, push pop-ups, quick connect technology and integrated supply lines on select faucets. Highlight is the perfect pick for high quality contemporary design!



	MODEL#	DESCRIPTION	APPROVALS
$\cap$	GLH-151C	Single Handle Contemporary Pull-Down Kitchen Faucet With Lead Free Brass Body, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	ADA COO O
<b>,</b> ,	GLH-151SS	Single Handle Contemporary Pull-Down Kitchen Faucet With Lead Free Brass Body, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	E C C C C C C C C C C C C C C C C C C C
GLH-151MB	GLH-151MB	Single Handle Contemporary Pull-Down Kitchen Faucet With Lead Free Brass Body, Metal Lever Handle, Ceramic Cartridge,Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Matte Black	ADA COO
	GLH-155C	Single Handle Industrial Culinary Spring Neck Faucet, Includes Two Spray Heads, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	E C C C C C C C C C C C C C C C C C C C
	GLH-155SS	Single Handle Industrial Culinary Spring Neck Faucet, Includes Two Spray Heads, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	ADA OF O
GLH-155SS	GLH-155MB	Single Handle Industrial Culinary Spring Neck Faucet, Includes Two Spray Heads, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Matte Black	ADA UPC.

Single Handle Lavatory Faucets				
	GLH-500C	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, All Metal Push Pop-Up, 1.0 GPM, Chrome	ADA CON CONTROL OF THE PROPERTY OF THE PROPERT	
Ь	GLH-500BN	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	ADA COS SOLO	
GLH-500MB	GLH-500MB	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, All Metal Push Pop-Up, 1.0 GPM, Matte Black	ADA CO.	
GLH-550BN	GLH-550C	Single Handle Contemporary Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 50/50 Push Pop-Up, 1.2 GPM, Chrome	ADA CON CONTRACTOR	
	GLH-550BN	Single Handle Contemporary Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 50/50 Push Pop-Up, 1.2 GPM, Brushed Nickel	ADA COO COO COO COO COO COO COO COO COO CO	
	GLH-550MB	Single Handle Contemporary Lavatory Faucet, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 50/50 Push Pop-Up, 1.2 GPM, Matte Black	ADA COO O	







Steel





Brushed Nickel

# Highlight Tub & Shower

Single Control Tub & Shower Kits					
	MODEL#	DESCRIPTION	APPROVALS		
	GLH-730CJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Slip On Tub Spout, Metal Lever Handle, Job Pack, 1.8 GPM, Chrome	ADA CON STATE OF STAT		
	GLH-720CJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle Job Pack, 1.8 GPM, Chrome	ADA COR STATE		
	GLH-700CJP	Valve Trim Only, Metal Lever Handle, Job Pack, Chrome	ADA CO		
-	GLH-730BNJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Slip On Tub Spout, Metal Lever Handle, Job Pack, 1.8 GPM, Brushed Nickel	ADA COR STATE		
	GLH-720BNJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Job Pack, 1.8 GPM, Brushed Nickel	ADA COR STATE		
	GLH-700BNJP	Valve Trim Only, Metal Lever Handle, Job Pack, Brushed Nickel	ADA COS		
	GLH-730MBJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Slip On Tub Spout, Metal Lever Handle, Job Pack, 1.8 GPM, Matte Black	ADA PO CONTRACTOR OF THE PARTY		
GLH-730MBJP	GLH-720MBJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Lever Handle, Job Pack, 1.8 GPM, Matte Black	ADA OF STATE		
	GLH-700MBJP	Valve Trim Only, Metal Lever Handle, Job Pack, Matte Black	E CO		

Single Control Pressure Balancing Rough-In Valve Bodies					
	GLSR-799A*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, Less Stops	e e e e e e e e e e e e e e e e e e e		
GLSR-799A	GLSR-799*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), Less Stops			
GLSR-799	GLSR-799P*	Pressure Balancing Valve, Universal 1/2" Pex Connections, Less Stops	Drc .		
GLSR-799P	GLSR-799AWS*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, With Stops			
GI SR-799AWS	GLSR-799WS*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), With Stops	Tro-		
GLSR-799AWS	GLSR-799PWS*	Pressure Balancing Valve, Universal 1/2" Pex Connections, With Stops	Error *		
GLSR-799WS	GLSR-798	Replacement Cartridge for Pressure Balancing Valve, Less Stops			
GLSR-799PWS	GLSR-798WS	Replacement Cartridge for Pressure Balancing Valve, With Stops			



\* Extension Kits Fits All Pressure Balancing **Rough-In Valves** 

GLSR-797C Chrome
GLSR-797BN Brushed Nickel
GLSR-797ORB Oil Rubbed Bronze









### Notes



# Angelic



## Angelic Kitchen, Bar and Lavatory

Angelic is a transitional style family that comes in Chrome, Stainless Steel, Brushed Nickel and Oil Rubbed Bronze finishes. Angelic is the perfect choice for any showroom, remodeling project or new construction job that requires a high end design at a remarkably affordable price without compromising quality. All Angelic family products come with our limited lifetime finish and function warranty regardless of the application. And yes, all of our tub spouts and pop-ups are still metal!

Single Handle Kitchen Faucet	ts		
	MODEL#	DESCRIPTION	APPROVALS
	GLA-151C	Single Handle Kitchen Faucet, High Arc Spout With Pull-Down Spray, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	ADA COO
GLA-151C	GLA-151SS	Single Handle Kitchen Faucet, High Arc Spout With Pull-Down Spray, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	ADA O
	GLA-151ORB	Single Handle Kitchen Faucet, High Arc Spout With Pull-Down Spray, Metal Lever Handle, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Oil Rubbed Bronze	ADA COO
	GLA-155C	Single Handle Industrial Culinary Spring Neck Faucet, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	ADA COO
GLA-155SS	GLA-155SS	Single Handle Industrial Culinary Spring Neck Faucet, Ceramic Cartridge, Integrated Supply Lines, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	Land Company
Bar Faucets			
	GLA-320C	Two Handle Bar Faucet, Metal Lever Handles, High Arc Spout, Ceramic Cartridge, 1.8 GPM, Chrome	
GLA-320C 7 C	GLA-320SS	Two Handle Bar Faucet, Metal Lever Handles, High Arc Spout, Ceramic Cartridge, 1.8 GPM, Stainless Steel	ADA CON
GLA-320SS GLA-320ORB	GLA-320ORB	Two Handle Bar Faucet, Metal Lever Handles, High Arc Spout, Ceramic Cartridge, 1.8 GPM, Oil Rubbed Bronze	ADA COO
Two Handle Lavatory Faucets	;		
	GLA-420C	Two Handle High Arc 4" Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Chrome	ADA COO COOL
7	GLA-420BN	Two Handle High Arc 4" Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Brushed Nickel	ADA COO COO COO COO COO COO COO COO COO CO
GLA-420ORB	GLA-420ORB	Two Handle High Arc 4"Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Oil Rubbed Bronze	ADA COO COO COO COO COO COO COO COO COO CO
	GLA-480C	Two Handle 8"Widespread High Arc Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Chrome	ADA COO COO COO COO COO COO COO COO COO CO
7 1 A GLA-480C	GLA-480BN	Two Handle 8"Widespread High Arc Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Brushed Nickel	ADA COO COO COO COO COO COO COO COO COO CO
	GLA-480ORB	Two Handle 8"Widespread High Arc Lavatory Faucet, Metal Lever Handles, Ceramic Cartridge, Metal Pop Up, 3 Hole Installation, 1.2 GPM, Oil Rubbed Bronze	ADA COO STATE OF STAT











Single Control Tub & Show	ver Job Pack Trim K	its	
	MODEL#	DESCRIPTION	APPROVALS
	GLA-730CJP	Single Handle Tub & Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Chrome	ADA COO ADA
	GLA-720CJP	Single Handle Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Chrome	ADA COM CONTROL OF THE PARTY OF
GLA-730BNJP	GLA-730BNJP	Single Handle Tub & Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Brushed Nickel	ADA COCO
5	GLA-720BNJP	Single Handle Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Brushed Nickel	ADA) OF STREET
	GLA-730ORBJP	Single Handle Tub & Shower Trim Only, Metal Slip On Diverter Spout, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Oil Rubbed Bronze	ADA) OF STREET
GLA-720ORBJP	GLA-720ORBJP	Single Handle Shower Trim Only, Metal Lever Handle, Showerhead with Brass Ball Joint, Less Rough-In Valve, Job Pack, 1.8 GPM, Oil Rubbed Bronze	ADA) COO COO COO COO COO COO COO COO COO CO
Single Control Pressure Ba	alancing Rough-In	Valve Bodies	
	GLSR-799A*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, Less Stops	UTC .
GLSR-799A	GLSR-799*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), Less Stops	C C O
GLSR-799	GLSR-799P*	Pressure Balancing Valve, Universal 1/2" Pex Connections, Less Stops	uro.
GLSR-799P	GLSR-799AWS*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, With Stops	
GLSR-799AWS	GLSR-799WS*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), With Stops	ure.
GLSR-799WS	GLSR-799PWS*	Pressure Balancing Valve, Universal 1/2" Pex Connections, With Stops	W.
GEN 1797V3	GLSR-798	Replacement Cartridge for Pressure Balancing Valve, Less Stops	
GLSR-799PWS GLSR-798	GLSR-798WS	Replacement Cartridge for Pressure Balancing Valve, With Stops	



\* Extension Kits **Fits All Pressure Balancing Rough-In Valves** 

GLSR-797C Chrome
GLSR-797BN Brushed Nickel
GLSR-797ORB Oil Rubbed Bronze









# Angelic Roman Tub

Complete Roman Tub Kits — Rough & Trim				
	MODEL#	DESCRIPTION	APPROVALS	
3 (GLA-900C	GLA-900C	Two Handle Roman Tub Faucet, Metal Lever Handles, Ceramic Cartridge, High Flow, Loose Valve Body with Brass Test Plug, 2.4 GPM at 20 PSI, Chrome	ADA OF S	
The GLA-900BN	GLA-900BN	Two Handle Roman Tub Faucet, Metal Lever Handles, Ceramic Cartridge, High Flow, Loose Valve Body with Brass Test Plug, 2.4 GPM at 20 PSI, Brushed Nickel	ADDA O	
3 GLA-900ORB	GLA-900ORB	Two Handle Roman Tub Faucet, Metal Lever Handles, Ceramic Cartridge, High Flow, Loose Valve Body with Brass Test Plug, 2.4 GPM at 20 PSI, Oil Rubbed Bronze	<u></u>	







### **Notes**







# Leverage



# Leverage Kitchen Ceramic

Leverage is our latest family addition that boasts a unique quick install nut on all two handle faucets and single handle kitchen pull-down faucets. Push pop-ups can also be found on all lavatory faucets in various configurations. Due to our longstanding commitment to water conservation, all Leverage faucets are California Energy Commission compliant & EPA WaterSense Certified where applicable.

Single Handle Ceramic Valve Kitchen Fauc



Single Handle Ceramic Val	MODEL#	DESCRIPTION	APPROVALS
	GLL-100C	Single Hole or Three Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Chrome	ADA CO
GLL-100C	GLL-100SS	Single Hole or Three Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Stainless Steel	
	GLL-140C	Two Hole or Four Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Chrome	ADA O
GLL-140SS	GLL-140SS	Two Hole or Four Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Stainless Steel	ADA COO
GLL-150C	GLL-150C	Single Hole or Three Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Chrome	ADA CON O
	GLL-150SS	Single Hole or Three Hole Mount, Deckplate Included, Copper Inlet Supply, Ceramic Cartridge, 1.5 GPM, Stainless Steel	ADA O
	GLL-151C	Single Hole or Three Hole Mount, Quick Mount Installation, Deckplate Included, with Integrated Supply Lines, Ceramic Cartridge, 1.8 GPM, Chrome	ADA)
GLL-151SS	GLL-151SS	Single Hole or Three Hole Mount, Quick Mount Installation, Deckplate Included, with Integrated Supply Lines, Ceramic Cartridge, 1.8 GPM, Stainless Steel	ADA COS







# Leverage Kitchen and Bar Ceramic

Two Handle Ceramic Valve	Kitchen Faucets		
	MODEL#	DESCRIPTION	APPROVALS
GLL-200C	GLL-200C	Three Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	
	GLL-240C	Four Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	E D
GLL-240C	GLL-250C	Three Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	
GLL-250SS	GLL-250SS	Three Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Stainless Steel	ADA DE O
	GLL-260C	Four Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	
GLL-260C	GLL-260SS	Four Hole Mount, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Stainless Steel	
Two Handle Ceramic Valve	Bar Faucet		
GLL-320C	GLL-320C	4" Centerset, Quick Mount Installation, Ceramic Cartridges, 1.5 GPM, Chrome	E De







# Leverage Lavatory Ceramic

Single Handle Ceramic Va	lve Lavatory Fauce	ets	
	MODEL#	DESCRIPTION	APPROVALS
GLL-500CF	GLL-500CF	Single Hole or Three Hole Mount, Deckplate Included, Integrated Supply Lines, 50/50 Push Pop-Up, Ceramic Cartridge,1.2 GPM, Chrome	ADA COLOR
GLL-500BNF	GLL-500BNF	Single Hole or Three Hole Mount, Deckplate Included, Integrated Supply Lines, 50/50 Push Pop-Up, Ceramic Cartridge,1.2 GPM, Brushed Nickel	ADA COLOR
Two Handle Ceramic Valve	Lavatory Faucets		
GLL-400CF	GLL-400CL	4" Centerset, Quick Mount Installation, Less Pop-Up, Ceramic Cartridges, 1.2 GPM, Chrome	ADA COO COO COO COO COO COO COO COO COO CO
GLL-400BNF	GLL-400CF	4" Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridge, 1.2 GPM, Chrome	ADA COO COO COO COO COO COO COO COO COO CO
THE	GLL-400BNF	4" Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridge, 1.2 GPM, Brushed Nickel	Bada Da 🍑
GLL-420CF	GLL-400CP	4" Centerset, Quick Mount Installation, Plastic Push Pop-Up, Ceramic Cartridge. 1.2 GPM, Chrome	S P S
	GLL-400BNP	4" Centerset, Quick Mount Installation, Plastic Push Pop-Up, Ceramic Cartridge. 1.2 GPM, Brushed Nickel	ADA COO COO A
GLL-420BN	GLL-420CF	4" Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Chrome	BADA OF STATE OF STAT
	GLL-420BNF	4" Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Brushed Nickel	BADA COO COO COO COO COO COO COO COO COO CO
GLL-480CF	GLL-420CP	4" Centerset, Quick Mount Installation, Plastic Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Chrome	ADA CO.
GLL-480BNF	GLL-480CF	8"Widespread, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Chrome	Sada of the sada o
THE POOL OF THE PO	GLL-480BNF	8"Widespread, Quick Mount Installation, 50/50 Push Pop-Up, Ceramic Cartridges, 1.2 GPM, Brushed Nickel	ADA CO.







# Leverage Tub & Shower Ceramic

ngle Control Tub & Show	ver Job Pack Trim K	its	
	MODEL#	DESCRIPTION	APPROVALS
	GLL-730CJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Slip On Tub Spout, Job Pack, 1.8 GPM, Chrome	ADA COO COO COO COO COO COO COO COO COO CO
8	GLL-730BNJP	Tub & Shower Trim Only, 6" Showerhead with Metal Ball Joint, Metal Slip On Tub Spout, Job Pack, 1.8 GPM, Brushed Nickel	ADA COO COO COO COO COO COO COO COO COO CO
GLL-730CJP	GLL-720CJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Job Pack, 1.8 GPM, Chrome	ADA CON CONTROL OF CON
	GLL-720BNJP	Shower Trim Only, 6" Showerhead with Metal Ball Joint, Job Pack, 1.8 GPM, Brushed Nickel	ADA COO STATE OF THE PARTY OF T
	GLL-700CJP	Valve Trim Only, Job Pack, Chrome	ADA CO
GLL-730BNJP	GLL-700BNJP	Valve Trim Only, Job Pack, Brushed Nickel	ADA C O
gle Control Pressure Ba	alancing Rough-In	Valve Bodies	
	GLSR-799A*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, Less Stops	C
GLSR-799A	GLSR-799*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), Less Stops	o o
GLSR-799	GLSR-799P*	Pressure Balancing Valve, Universal 1/2" Pex Connections, Less Stops	DTC C
GLSR-799P	GLSR-799AWS*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, With Stops	DTC o
GLSR-799AWS	GLSR-799WS*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), With Stops	vic.
GLSR-799WS	GLSR-799PWS*	Pressure Balancing Valve, Universal 1/2"Pex Connections, With Stops	,
CANAGE 1-11C7D	GLSR-798	Replacement Cartridge for Pressure Balancing Valve, Less Stops	



\* Extension Kits Fits All Pressure Balancing **Rough-In Valves** 

GLSR-797C GLSR-797BN Brushed Nickel

**GLSR-797ORB** Oil Rubbed Bronze







# Leverage Kitchen & Bar Washerless

Single Handle Washerless	Valve Kitchen Fau	ıcets	
	MODEL#	DESCRIPTION	APPROVALS
	GLL-105C	Three Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Chrome	ADA COO.
GLL-105C	GLL-105SS	Three Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Stainless Steel	ADA CO.
	GLL-135C	Three Hole Mount, Spray On Deckplate, Copper Inlet Supply, Washerless, 1.5 GPM, Chrome	ADA PEC.
GLL-145SS	GLL-145C	Four Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Chrome	ADA DEC.
	GLL-145SS	Four Hole Mount, Copper Inlet Supply, Washerless, 1.5 GPM, Stainless Steel	ADA DEC.

Two Handle Washerless Valve Kitchen Faucets				
GLL-205C	GLL-205C	Three Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	ADA	
GLL-245C	GLL-245C	Four Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome		
GLL-202C	GLL-202C	Three Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome		
GLL-242C	GLL-242C	Four Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome		
GLL-250CB	GLL-250CB	Wrist Blade Handles, Three Hole Mount, Quick Mount Installation, Washerless, 1.5 GPM, Chrome		

Two Handle Washerless Ba	ar Faucets		
GLL-325C	GLL-325C	4" Centerset, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	ADA PO
GLL-325CB	GLL-325CB	4"Centerset, Wrist Blade Handles, Quick Mount Installation, Washerless, 1.5 GPM, Chrome	ADA CO







## Leverage Lavatory Washerless

lle Washerless V	alve Lavatory Fa	ucets	
	MODEL#	DESCRIPTION	APPROVALS
	GLL-505CL	4" Centerset, Less Pop-Up, Washerless, 1.2 GPM, Chrome	ADA COR STORY
5CL	GLL-505BNL	4" Centerset, Less Pop-Up, Washerless, 1.2 GPM, Brushed Nickel	ADA COS STORY
	GLL-505CF	4" Centerset, 50/50 Push Pop-Up, Washerless, 1.2 GPM, Chrome	ADA COM STORY
	GLL-505BNF	4" Centerset, 50/50 Push Pop-Up, Washerless, 1.2 GPM, Brushed Nickel	DEC STORY
GLL-505BNF G	GLL-505CP	4" Centerset, Plastic Push Pop-Up, Washerless, 1.2 GPM, Chrome	ADA CON ENGINE
	GLL-505BNP	4" Centerset, Plastic Push Pop-Up, Washerless, 1.2 GPM, Brushed Nickel	ADA COOR STATE OF THE PROPERTY
rless Val	ve Lavatory Fauc	ets	
}	GLL-405CL	4" Centerset, Quick Mount Installation, Less Pop-Up, Washerless, 1.2 GPM, Chrome	ADA COO STATE OF THE STATE OF T
405CL	GLL-405CF	4"Centerset, Quick Mount Installation, 50/50 Push Pop-Up, Washerless, 1.2 GPM, Chrome	ADA CON STORE STOR
	GLL-405CP	4"Centerset, Quick Mount Installation, Plastic Push Pop-Up, Washerless, 1.2 GPM, Chrome	ADA COM ANTERIOR
L-405CLB	GLL-405CLB	4"Centerset, Wrist Blade Handles, Quick Mount Installation, Less Pop-Up, Washerless, 1.2 GPM, Chrome	ADA COMPANY AND THE PROPERTY OF THE PROPERTY O
-402C	GLL-402CL	4" Centerset, Acrylic Handles, Quick Mount Installation, Less Pop-Up, Washerless, 1.2 GPM, Chrome	ADA CONTROL MARKET





GLL-402CF

GLL-402CP

GLL-480CLB



Washerless, 1.2 GPM, Chrome

Washerless, 1.2 GPM, Chrome





4" Centerset, Acrylic Handles, Quick Mount Installation, 50/50 Push Pop-Up, Washerless, 1.2 GPM, Chrome

4" Centerset, Acrylic Handles, Quick Mount Installation, Plastic Push Pop-Up,

8" Widespread, Wrist Blade Handles, Quick Mount Installation, Less Pop-Up,

# Leverage Tub & Shower Washerless

Single Control Tub & Show	ver Job Pack Trim K	its	
	MODEL#	DESCRIPTION	APPROVALS
	GLL-735CJP	Single Handle Tub & Shower Trim Only, Core Showerhead with Metal Ball Joint, Metal Slip On Tub Spout, Job Pack, 1.8 GPM, Chrome	ADA)
GLL-735CJP	GLL-725CJP	Single Handle Shower Trim Only, Core Showerhead with Metal Ball Joint, Job Pack, 1.8 GPM, Chrome	ADA) COO COO COO COO COO COO COO COO COO CO
GLL-725CJP	GLL-705CJP	Single Handle Valve Trim Only, Job Pack, Chrome	ADA O

Single Control Pressure Ba	lancing Rough-In	Valve Bodies	
	GLSR-799A*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, Less Stops	c c
GLSR-799A	GLSR-799*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), Less Stops	C C C C C C C C C C C C C C C C C C C
GLSR-799	GLSR-799P*	Pressure Balancing Valve, Universal 1/2" Pex Connections, Less Stops	, Tree
GLSR-799P	GLSR-799AWS*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, With Stops	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
GLSR-799AWS	GLSR-799WS*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), With Stops	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
GLSR-799WS	GLSR-799PWS*	Pressure Balancing Valve, Universal 1/2" Pex Connections, With Stops	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
	GLSR-798	Replacement Cartridge for Pressure Balancing Valve, Less Stops	
GLSR-799PWS GLSR-798	GLSR-798WS	Replacement Cartridge for Pressure Balancing Valve, With Stops	









# Builder



# Builder Kitchen and Pot Fillers

Designed with the builder in mind, the Builder family features ceramic valves, tub & shower job packs, EPA WaterSense® certified lavatory and tub & shower configurations in pleasing timeless designs. All of our slip-on tub spouts are still metal as are all of our pop-ups! All Builder family products come with our limited lifetime finish and function warranty regardless of the application.

Single Handle Kitchen Fau	ıcets		
	MODEL#	DESCRIPTION	APPROVALS
	GLB-150C	Single Handle Kitchen Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, Less Spray, 1.5 GPM, Chrome	ADA COO A
GLB-150ORB	GLB-150SS	Single Handle Kitchen Pull-Out Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.5 GPM, Stainless Steel	
	GLB-150ORB	Single Handle Kitchen Pull-Out Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.5 GPM, Oil Rubbed Bronze	ADA OFF
GLB-151C	GLB-151C	Single Handle Pull-Down Kitchen Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Chrome	E CONTROL OF THE CONT
	GLB-151SS	Single Handle Pull-Down Kitchen Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Stainless Steel	ADA COPE
	GLB-151ORB	Single Handle Pull-Down Kitchen Faucet, Metal Lever Handle, Ceramic Cartridge, 1 or 3 Hole Installation, Optional Deckplate Included, 1.8 GPM, Oil Rubbed Bronze	E Pro

Pot Fillers			
GLB-190C	GLB-190C	Pot Filler, Metal Lever Handle, Ceramic Cartridge, Single Hole Wall Mount, Cold Water Only, 24" Max Spout Reach, 2.2 GPM, Chrome	
GLB-190SS	GLB-190SS	Pot Filler, Metal Lever Handle, Ceramic Cartridge, Single Hole Wall Mount, Cold Water Only, 24" Max Spout Reach, 2.2 GPM, Stainless Steel	E ADA
GLB-190ORB	GLB-190ORB	Pot Filler, Metal Lever Handle, Ceramic Cartridge, Single Hole Wall Mount, Cold Water Only, 24" Max Spout Reach, 2.2 GPM, Oil Rubbed Bronze	

Don't see something, contact us direct at 800-431-2082.









# Builder Lavatory

Single Handle Lavatory Faucets				
	MODEL#	DESCRIPTION	APPROVALS	
GLB-500C	GLB-500C	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridges, High Arc, 1 or 3 hole Installation, Optional Deckplate Included, All Metal Pop-Up, 1.2 GPM, Chrome	ADA COO COO COO COO COO COO COO COO COO CO	
GLB-500BN	GLB-500BN	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridges, High Arc, 1 or 3 hole Installation, Optional Deckplate Included, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	ADA)	
GLB-500ORB	GLB-500ORB	Single Handle Lavatory Faucet, Metal Lever Handle, Ceramic Cartridges, High Arc, 1 or 3 hole Installation, Optional Deckplate Included, All Metal Pop-Up, 1.2 GPM, Oil Rubbed Bronze	ADA) coo distriction	

Two Handle Lavatory Fauc	ets		
	GLB-400C	Two Handle 4"Lavatory Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Chrome	ADA) O O O
GLB-400BN	GLB-400BN	Two Handle 4"Lavatory Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	ADA COO O
	GLB-400ORB	Two Handle 4" Lavatory Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Oil Rubbed Bronze	ADA) CO CONTROL OF
GLB-420ORB	GLB-420C	Two Handle 4"Lavatory Faucet, Metal Lever Handles, High Arc, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Chrome	ADA) COMPANIENT OF THE PROPERTY OF THE PROPERT
	GLB-420BN	Two Handle 4"Lavatory Faucet, Metal Lever Handles, High Arc, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	ADA Pro
	GLB-420ORB	Two Handle 4" Lavatory Faucet, Metal Lever Handles, High Arc, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Oil Rubbed Bronze	ADA)
	GLB-480C	Two Handle 8" Widespread Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Chrome	ADA) OF STATE OF STAT
	GLB-480BN	Two Handle 8" Widespread Lavatory Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	ADA) PO O O
	GLB-480ORB	Two Handle 8" Widespread Lavatory Faucet, Metal Lever Handles, Ceramic Cartridges, All Metal Pop-Up, 1.2 GPM, Oil Rubbed Bronze	E S









# Builder Tub & Shower

Single Control Tub & Show	ver Kits		
	MODEL#	DESCRIPTION	APPROVALS
	GLB-730CDJP	Tub & Shower Trim With Decorative Showerhead, Metal Slip On Diverter Spout, Metal Lever Handle, Job Pack,1.75 GPM, Chrome	ADA CON CONTRACTOR
GLB-700CJP	GLB-720CDJP	Shower Only Trim With Decorative Showerhead, Metal Lever Handle, Job Pack, 1.75 GPM, Chrome	ADA COM
	GLB-700CJP	Valve Only Trim, Metal Lever Handle, Job Pack, Chrome	ADA O
	GLB-730BNDJP	Tub & Shower Trim With Decorative Showerhead, Metal Slip On Diverter Spout, Metal Lever Handle, Job Pack, 1.75 GPM, Brushed Nickel	ADA CON SECTION
GLB-720BNDJP	GLB-720BNDJP	Shower Only Trim With Decorative Showerhead, Metal Lever Handle, Job Pack, 1.75 GPM, Brushed Nickel	ADA COM
	GLB-700BNJP	Valve Only Trim, Metal Lever Handle, Job Pack, Brushed Nickel	ADDA COO
	GLB-730ORBDJP	Tub & Shower Trim With Decorative Showerhead, Metal Slip On Diverter Spout, Metal Lever Handle, Job Pack, 1.75 GPM, Oil Rubbed Bronze	ADA COO
	GLB-720ORBDJP	Shower Only Trim With Decorative Showerhead, Metal Lever Handle, Job Pack, 1.75 GPM, Oil Rubbed Bronze	ADA COM
GLB-730ORBDJP	GLB-700ORBJP	Valve Only Trim, Metal Lever Handle, Job Pack, Oil Rubbed Bronze	ADA O

Don't see something, contact us direct at 800-431-2082.





# Builder Rough-In Valves and Roman Tub

A	MODEL#	DESCRIPTION	APPROVALS
LSR-799A	GLSR-799A*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, Less Stops	C ®
GLSR-799	GLSR-799*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), Less Stops	UPC C ®
LSR-799P	GLSR-799P*	Pressure Balancing Valve, Universal 1/2" Pex Connections, Less Stops	UPC C ®
	GLSR-799AWS*	Pressure Balancing Valve, Universal 1/2" Pex "A" ASTM F1960 Connections, With Stops	UPC 0
GLSR-799AWS	GLSR-799WS*	Pressure Balancing Valve, Universal 1/2" Fittings (CC & IP), With Stops	UPC C ®
SR-799WS	GLSR-799PWS*	Pressure Balancing Valve, Universal 1/2" Pex Connections, With Stops	UPC c ·
GIGO TOODING	GLSR-798	Replacement Cartridge for Pressure Balancing Valve, Less Stops	
GLSR-799PWS	GLSR-798WS	Replacement Cartridge for Pressure Balancing Valve, With Stops	

Roman Tub Kits				
GLB-900CJP	GLB-900CJP	Two Handle Roman Tub Faucet Trim, Metal Lever Handles, Job Pack, Minimum Flow Rate of 4.0 GPM at 20 PSI ,Chrome	ADA CO	
GLB-900BNJP	GLB-900BNJP	Two Handle Roman Tub Faucet Trim, Metal Lever Handles, Job Pack, Minimum Flow Rate of 4.0 GPM at 20 PSI, Brushed Nickel	ADA OS	
GLB-900ORBJP	GLB-900ORBJP	Two Handle Roman Tub Faucet Trim, Metal Lever Handles, Job Pack, Minimum Flow Rate of 4.0 GPM at 20 PSI, Oil Rubbed Bronze	ADA PO	

Roman Tub Rough-In Valve Body					
1	GLRR-999	GLRR-999	Loose Valve Body With Ceramic Cartridges, Combination 1/2" Copper Sweat, 1/2" NPT Threaded Connectors for All Ports, For Use With Three Hole Builder Roman Tub Kits	œ.	











# Notes





# Classic



# Classic Lavatory & Laundry

Classic Series features EPA WaterSense® certified lavatories with all metal pop-ups as well as laundry faucet options. All Classic products come with our limited lifetime finish and function warranty regardless of the application.

Single Handle Lavatory Faucets					
	MODEL#	DESCRIPTION	APPROVALS		
	GLC-500C	Single Handle 4" Lavatory Faucet, Metal Lever Handle, All Metal Pop-Up, 1.2 GPM, Chrome	ADA COCO		
GLC-500BN	GLC-500BN	Single Handle 4" Lavatory Faucet, Metal Lever Handle, All Metal Pop-Up, 1.2 GPM, Brushed Nickel	ADA OF STATE		
Two Handle Lavatory Fauc	ets				
	GLC-400C	Two Handle 4" Lavatory Faucet, Metal Wing Handles, All Metal Pop-Up, 1.2 GPM, Chrome	ADA) COO CONTRACTOR		
GLC-400C	GLC-402C	Two Handle 4" Lavatory Faucet, Acrylic Handles, All Metal Pop-Up, 1.2 GPM, Chrome			

Laundry Faucets				
	GLC-386CA	4" Laundry Tray Faucet, Metal Wing Handles, 6" Spout, Aerator and Hose Adapter, 2.2 GPM, Chrome	ADA)	
GLC-386CA	GLC-386CH	4" Heavy Duty Laundry Tray Faucet, Metal Wing Handles, 6" Swing Spout, 2.2 GPM, Chrome	ADA)	

We are continuously updating our line to meet the new trends and standards. If you don't see something please contact us direct at 800-431-2082.









# Value



# Value Lavatory

Value Series may meet an entry level price point, but there is no compromise on quality or warranty. The Value Series features EPA WaterSense® certified products as well as a full offering of conventional (non-pressure balancing) tub and shower options. All lavatories come with metal pop-ups and our tub and shower offering still comes with metal slip-on tub spouts! And yes, our limited lifetime finish and function warranty still applies, regardless of the application.

Single Handle Lavatory Faucets					
	MODEL#	DESCRIPTION	APPROVALS		
	GLV-500C	Single Handle 4" Lavatory Faucet, Metal Lever Handle, All Metal Pop-Up, 1.2 GPM, Chrome	ADA) STORY OF THE		
GLV-500C	GLV-502C	Single Handle 4" Lavatory Faucet, Acrylic Handle, All Metal Pop-Up, 1.2 GPM, Chrome	c C C C C C C C C C C C C C C C C C C C		
Two Handle Lavatory Fauc	ets				
	GLV-400C	Two Handle 4" Lavatory Faucet, Round Metal Handles, All Metal Pop-Up, 1.2 GPM, Chrome	c C C C C C C C C C C C C C C C C C C C		
GLV-400C	GLV-402CL	Two Handle 4" Lavatory Faucet, Acrylic Handles, Less Pop-Up, 1.2 GPM, Chrome	c Company		
GLV-402CL	GLV-402C	Two Handle 4" Lavatory Faucet, Acrylic Handles, All Metal Pop-Up, 1.2 GPM, Chrome			

We are continuously updating our line to meet the new trends and standards. If you don't see something please contact us direct at 800-431-2082.





# Value Tub & Shower

Complete Single Control T	ub & Shower Kits /	NOT PRESSURE BALANCING — Rough & Trim	
	MODEL#	DESCRIPTION	APPROVALS
	GLV-770C	Tub & Shower Trim, IPS Diverter Spout, Metal Lever Handle, Conventional Valve, IP Rough, 1.75 GPM, Chrome	ADA COURT OF THE PROPERTY OF T
GLV-770C GLV-772C	GLV-772C	Tub & Shower Trim, IPS Diverter Spout, Acrylic Handle, Conventional Valve, IP Rough, 1.75 GPM, Chrome	C DATE OF THE PARTY OF THE PART
Complete Two and Three I	landle Tub & Show	rer Kits / NOT PRESSURE BALANCING — Rough & Trim	
	GLV-830C	Two Handle Tub & Shower Trim, Slip on Diverter Spout, Round Metal Handles, IP Rough, 1.75 GPM, Chrome	C PRODE
GLV-830C	GLV-820C	Two Handle Shower Only Trim, Round Metal Handles, IP Rough, 1.75 GPM, Chrome	C DECEMBER OF THE PROPERTY OF
	GLV-832C	Two Handle Tub & Shower Trim, Slip on Diverter Spout, Acrylic Handles, IP Rough, 1.75 GPM, Chrome	C PAGE OF THE PAGE
GLV-832C	GLV-822C	Two Handle Shower Only Trim, Acrylic Handles, IP Rough, 1.75 GPM, Chrome	C LOOK WATER
	GLV-870C	Three Handle Tub & Shower Trim, Slip on Spout, Round Metal Handles, IP Rough, 1.75 GPM, Chrome	C C C C C C C C C C C C C C C C C C C
GLV-872C	GLV-872C	Three Handle Tub & Shower Trim, Slip on Spout, Acrylic Handles, IP Rough, 1.75 GPM, Chrome	C PORT OF THE PROPERTY OF THE





# **Hand Showers**

Our Hand Showers feature 72" metal hoses, brass drop elbows and 24" metal slide bars. The chrome and brushed nickel versions come complete with a five function hand shower and non-positive shut off.



Hand Showers		II #	
<b>1</b>	MODEL#	DESCRIPTION	APPROVALS
	GLHS-600C	5 Setting Hand Held Spray Head, With Non-Positive Shut Off, 24" Metal Slide Bar*, 72" Flexible Stainless Steel Hose, Wall Mount Brass Drop Elbow, 1.75 GPM, Chrome	ADA) COO COO COO COO COO COO COO COO COO CO
GLHS-600C	GLHS-600BN	5 Setting Hand Held Spray Head, With Non-Positive Shut Off, 24" Metal Slide Bar*, 72" Flexible Stainless Steel Hose, Wall Mount Brass Drop Elbow, 1.75 GPM, Brushed Nickel	ADA COCO
GLHS-600ORB	GLHS-600ORB	3 Setting Hand Held Spray Head, 24" Metal Slide Bar*, 72" Flexible Stainless Steel Hose, Wall Mount Brass Drop Elbow, 1.75 GPM, Oil Rubbed Bronze	e e e e e e e e e e e e e e e e e e e

\*Slide bar is not designed to be used as a grab bar.









### **Committed to Quality**

**GEMLINE** is committed to maintaining a high standard of quality for all the products we offer. Most products in this catalog are labeled with a designated approval or certification code. Below is a brief description of these approvals.



**ADA** American Disabilities Act — Protecting the rights of people with physical or mental disabilities.



CEC

**EPA** 

**California Energy Commission** — As the state's primary energy policy and planning agency, the California Energy Commission is committed to reducing energy costs and environmental impacts of energy use - such as greenhouse gas emissions - while ensuring a safe, resilient, and reliable supply of energy.



**EPA WaterSense®** — A U.S. Environmental Protection Agency (EPA) program designed to encourage water efficiency in the United States through the use of a special label on consumer products.



APMO International Association of Plumbing and Mechanical Officials — The IAPMO publishes standardscovering products used in the Recreational Vehicle and Manufactured Housing Industry called IAPMO Trailer Standards.



**Safe Drinking Water Act (SDWA) / Federal Law No. 111-380** — This is our symbol indicating a product complies with the Safe Drinking Water Act. The national law mandates that lead free products contain less than .25% weighted average lead content on wetted surfaces in applications involving dispensing water for human consumption.



UPC

**LEAF** 

**Uniform Plumbing Code** — Developed by the International Association of Plumbing and Mechanical Officials to govern the installation and inspection of plumbing systems as a means promoting the publics health, safety and welfare.

### LIMITED LIFETIME WARRANTY

All parts of the **GEMLINE** faucet are warranted to the original consumer purchaser to be free from defects in material and workmanship. This warranty is made to the original consumer purchaser and shall be effective from the date of purchase as shown on purchaser's receipt.

**GEMLINE** will replace, free of charge, during the warranty period, any part which proves defective in material and/or workmanship under normal installation, use and service. **GEMLINE's** obligation under this warranty shall be limited to the replacement of any parts which proves defective upon **GEMLINE's** inspection of such product. Replacement parts can be obtained by returning the defective part to your local **GEMLINE** dealer, transportation charges prepaid, with a copy of the purchase receipt or by calling 1-855-806-0688.

THIS WARRANTY IS THE ONLY EXPRESSED WARRANTY MADE BY **GEMLINE** AND IS LIMITED TO THE DURATION OF THIS WARRANTY AND ALL OTHER EXPRESS OR IMPLIED WARRANTIES, WHETHER IMPLIED BY OPERATION OF LAW OR OTHERWISE, WITHOUT LIMITATION, ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS OR FITNESS FOR PARTICULAR PURPOSE, ARE EXCLUDED UNDER NO CIRCUMSTANCE, AND IN NO EVENT, WILL **GEMLINE** BE LIABLE FOR LOSS,

DAMAGE, COST OF REPAIRS OR INCIDENTAL PUNITIVE. PERSONAL INJURY OF PROPERTY DAMAGE OR ANY OTHER SPECIAL OR CONSEQUENTIAL DAMAGES OF ANY KIND, WHETHER BASED UPON WARRANTY, CONTRACT, STRICT LIABILITY, NEGLIGENCE OR ANY OTHER CAUSE OF ACTION ARISING IN CONNECTION WITH THE DESIGN, MANUFAC-TURE, TRANSPORTATION, INSTALLATION, USE OR REPAIR OF THE PRODUCTS SOLD BY **GEMLINE**. BUYER HEREBY ACKNOWLEDGES AND AGREES THAT UNDER NO CIRCUM-STANCES, AND IN NO EVENT, SHALL **GEMLINE's** LIABILITY, IF ANY, EXCEED THE REPLACEMENT OF THE DEFECTIVE PRODUCT(S); NO ADDITIONAL AMOUNTS SHALL BE MADE FOR THE LABOR OR DAMAGE RESULTING FROM THE SAME, EXCEPT AS EXPRESSLY SET FORTH IN THIS PARAGRAPH, ALL PRODUCTS AND/OR SERVICES PROVIDED BY **GEMLINE** AND ITS EMPLOYEES AND AGENTS ARE PROVIDED "AS IS" "WHERE IS" AND "WITH ALL FAULTS".

Some states do not allow the exclusion of limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty is void for any damage to this faucet due to misuse, abuse, neglect, accident, improper installation, any use in violation of instructions furnished by us, or any use of replacement parts other than genuine **GEMLINE** parts.



# Notes



# Notes



### **Gemline Customer Service**

Toll Free: 888-649-0605 Fax: 877-892-1950

Email: mail@gemlinefaucets.com Web: www.gemlinefaucets.com